



SLIDING DOORS

Call us: 01344 866940

Email: info@tvwindows.com

www.tvwindows.com

Contents

Edgeglide	Page 3
Air 500	Page 4
Air 600	Page 5
Vision20	Page 6
Sunflex SVG30	Page 7
Internorm KS430	Page 8
Internorm HS330	Page 9
Cero II	Page 10
Cero III	Page 11

Sliding doors are often one of the most important elements of the glazing package for any project. It is the sliding doors that will often give the 'WOW' factor, usually to the areas at the back of the house.

Here at TVW we have options to suit every project and budget. When designing the doors it is important to consider how large you want to go on each panel, and what you are asking the products to do. The bigger the panel, the heavier the weight which you will feel in the operation of the doors. If you are going very large on either width or height then you will be limiting yourself to premium products which will then be a significantly more expensive solution.

Dependant on the decisions above will then influence what type and style of door you choose but the great news is we have lots of options to choose from and the vast majority are on display in our showroom so you can see them for yourselves.

It is a great idea to involve us in your design process as early as you can – we have expert designers who can give great impartial advice and help you to come up with a fantastic solution at the best possible price! Call us to make an appointment today to come in so you can see which one will be best for your project!

KEY GUIDE - COSTS	
£££££ and £££££	Cost effective
£££££ and £££££	Mid Range
£££££	Premium





EdgeGLIDE +

NAME EdgeGLIDE
PRODUCT Sleek Inline Sliding Doors

DESCRIPTION

EdgeGLIDE designed with an impressive combination of large glazed units and slim line minimal frames to offer a visually impressive inline sliding door system for new builds or home renovations.

INTENDED USE Smaller sized panels with a minimal frame look at an incredibly competitive price. The standard track means very large panels will feel heavy in operation. Dual and Triple Track.

DIMENSIONS

Max Panel Width:	2200mm	Max Panel Height:	2600mm	Max Panel Weight:	200kg
------------------	--------	-------------------	--------	-------------------	-------

SPECIFICATIONS


Sightline:	35mm	Cornerless Option:	No	Flush Track:	No
------------	------	--------------------	----	--------------	----

PERFORMANCE

U Value DG:	1.4	U Value TG:	1.2
-------------	-----	-------------	-----

COSTS

£££££



AIR 500LS

NAME Air 500LS
PRODUCT Lift & Slide Doors

DESCRIPTION

air 500LS are an impressive visually stunning door system. Innovative technology and specially engineered rollers enable effortless opening and closing of very large sliding doors with just 2 fingers.

INTENDED USE Wide span openings up to 9 meters wide with up to four panels. Lift & Slide doors can move larger, heavier panels more easily. Only available as a monotrack. The more cost-effective version of its Air 600 big brother (see next page), the Air 500LS is great for projects which don't require multiple sliding panels and a flush threshold.

DIMENSIONS

Max Panel Width:	2200mm	Max Panel Height:	2600mm	Max Panel Weight:	200kg
------------------	--------	-------------------	--------	-------------------	-------

SPECIFICATIONS

Sightline:	42mm	Cornerless Option:	No	Flush Track:	No
------------	------	--------------------	----	--------------	----

PERFORMANCE

U Value DG:	1.4	U Value TG:	1.2
-------------	-----	-------------	-----

COSTS

£££££



AIR 600LS

NAME Air 600LS
PRODUCT Lift & Slide Doors

DESCRIPTION

air 600LS sliding doors are not just beautifully designed for aesthetic appeal, they use an innovative lift and slide mechanism and can be locked in any position along the track, providing safety and sophistication.

INTENDED USE Wide span openings up to 15 meters wide with up to six panels. Lift & Slide doors can move larger, heavier panels more easily. Dual and Triple Track. Fantastic for projects where large panels of glass are specified, these doors are beautifully easy to operate and literally glide on their track.

DIMENSIONS

Max Panel Width:	2500mm	Max Panel Height:	2760mm	Max Panel Weight:	300kg
------------------	--------	-------------------	--------	-------------------	-------

SPECIFICATIONS

Sightline:	48, 69, 83mm	Cornerless Option:	Yes	Flush Track:	Yes
------------	--------------	--------------------	-----	--------------	-----

PERFORMANCE

U Value DG:	1.49	U Value TG:	1.2
-------------	------	-------------	-----

COSTS

£££££



VISION20

NAME Vision20
PRODUCT Ultra Slim Sliding Doors

DESCRIPTION

Vision20 is the most invisible sliding door system we offer. The minimal design offers the most stunning contemporary aesthetics that is hard to rival.

INTENDED USE Best suited to projects where the panels are not too oversized, but can go reasonably tall when required. The standard track means very large panels will feel heavy in operation. Dual and Triple Track.

DIMENSIONS

Max Panel Width:	2500mm	Max Panel Height:	3000mm	Max Panel Weight:	320kg
------------------	--------	-------------------	--------	-------------------	-------

SPECIFICATIONS

Sightline:	20mm	Cornerless Option:	Yes	Flush Track:	Yes
------------	------	--------------------	-----	--------------	-----

PERFORMANCE

U Value DG:	1.3	U Value TG:	N/A
-------------	-----	-------------	-----

COSTS

£££££



Sunflex SVG30

NAME SVG30
PRODUCT Sunflex Inline Sliding Doors

DESCRIPTION

SVG30 aluminium lift and slide doors offers a dynamic and contemporary look with narrow 30mm sightlines and cutting-edge technology to create a slim framed system with a range of features such as a 90-degree opening corner and pocket slider.

INTENDED USE Slightly wider and taller max panels than other minimal frame options give a little more flexibility where projects require this. The standard track means large panels will feel heavy in operation. Dual and Triple Track plus fixed panel to give 4-Track effect.

DIMENSIONS

Max Panel Width:	2950mm	Max Panel Height:	3200mm	Max Panel Weight:	250kg
------------------	--------	-------------------	--------	-------------------	-------

SPECIFICATIONS

Sightline:	30mm	Cornerless Option:	Yes	Flush Track:	Yes
------------	------	--------------------	-----	--------------	-----

PERFORMANCE

U Value DG:	1.2	U Value TG:	
-------------	-----	-------------	--

COSTS

£££££



Internorm KS430

NAME KS430
PRODUCT Internorm Lift and Slide Doors

DESCRIPTION

KS430 uPVC and aluminium lift and slide doors offering excellent energy efficiency to meet Passivhaus standards. Modern composite door system designed with cutting edge technology to the highest standard to offer excellent comfort and lower energy bills. Available with external shutters for solar control and privacy.

INTENDED USE Lift & Slide doors can move larger, heavier panels more easily. Monotrack only – not available as dual or triple track. Typically for customers who are using Internorm KF products in the rest of their house, marries ultimate energy efficiency with cost effectiveness.

DIMENSIONS

Max Panel Width:	3250mm	Max Panel Height:	2800mm	Max Panel Weight:	400kg
------------------	--------	-------------------	--------	-------------------	-------

SPECIFICATIONS

Sightline:	107mm	Cornerless Option:	No – glass corner	Flush Track:	Yes
------------	-------	--------------------	-------------------	--------------	-----

PERFORMANCE

U Value DG:	n/a	U Value TG:	0.68
-------------	-----	-------------	------

COSTS

£££££



NAME HS330
PRODUCT Internorm Lift and Slide Doors

Internorm HS330

DESCRIPTION

HS330 timber and aluminium lift and slide doors are Passivhaus certified an excellent choice for new builds and home renovations. Contemporary door system designed with clean sight lines and large triple glazed glass sections, that offers excellent levels of airtightness and thermal performance. Available with external shutters for solar control and privacy.

INTENDED USE With the same energy efficiency qualities of the KS range, the HS version is intended for those projects where the warmth and luxury of an internal timber finish is required. Options include Spruce, Larch, Oak and Walnut.

DIMENSIONS

Max Panel Width:	2891mm	Max Panel Height:	3200mm	Max Panel Weight:	400kg
------------------	--------	-------------------	--------	-------------------	-------

SPECIFICATIONS

Sightline:	107mm	Cornerless Option:	No – glass corner	Flush Track:	Yes
------------	-------	--------------------	-------------------	--------------	-----

PERFORMANCE

U Value DG:	n/a	U Value TG:	0.72
-------------	-----	-------------	------

COSTS

£££££



NAME Cero II
PRODUCT Minimal Framed Sliding Doors

CERO II

DESCRIPTION

Cero II is a bespoke award-winning sliding door system with sightlines of just 34mm. When installed provides floor to ceiling glazing of 96% for maximum transparency. Structurally bonded minimal framed sliding door system to ensure outstanding performance and a stunning aesthetically pleasing architectural feature that are easy to operate and can also be motorised.

INTENDED USE Double Glazed units for the largest sized wide span openings up to a maximum of 12m² per panel. Dual and Triple Track. The Cero has the smoothest operation of any of our sliders and with the combination of its oversized panels and slim sightlines, will look amazing on any project.

DIMENSIONS

Max Panel Width:	3000mm	Max Panel Height:	4000mm	Max Panel Weight:	600kg
------------------	--------	-------------------	--------	-------------------	-------

SPECIFICATIONS

Sightline:	38mm	Cornerless Option:	Yes	Flush Track:	Yes
------------	------	--------------------	-----	--------------	-----

PERFORMANCE

U Value DG:	1.35	U Value TG:	n/a
-------------	------	-------------	-----

COSTS

£££££



CERO III

NAME Cero III
PRODUCT Sliding Doors

DESCRIPTION

Cero III are the big brother of the Cero II system. Triple glazed as standard they offer excellent energy efficiency to meet Passivhaus insulation requirements. Minimalist, contemporary sliding doors designed to the highest standard to meet the most luxurious and demanding architectural designs.

INTENDED USE Triple Glazed units for the largest sized wide span openings up to a maximum of 15m² per panel. Dual and Triple Track. Cero III can go to the largest possible sizes, giving your project the best possible 'Wow Factor'. The doors can also be motorised for the ultimate ease-of-use!

DIMENSIONS

Max Panel Width:	4000mm	Max Panel Height:	6000mm	Max Panel Weight:	1000kg
------------------	--------	-------------------	--------	-------------------	--------

SPECIFICATIONS

Sightline:	38mm	Cornerless Option:	Yes	Flush Track:	Yes
------------	------	--------------------	-----	--------------	-----

PERFORMANCE

U Value DG:	n/a	U Value TG:	0.8
-------------	-----	-------------	-----

COSTS

£££££



About Us

Thames Valley Window Company has traded successfully since October 1984. The two founders, Paul & Mark Schofield, are still actively involved and continually ensure that we keep ahead in Product Development & Architectural Design.

It is our responsibility to give you a professional design service as well as a product range that will be in keeping with the style and age of your property and enhance the value of your home.

Survey

This is a most vital part of your project and often underestimated in our industry. A precision survey means that the installers enjoy their work and the windows and doors fit your brick openings with minimal sealants and trims, giving you the perfect finish. This is especially important on large units where a lack of attention to detail at this stage can create serious issues once the product is installed.

Installation

We understand that having done all the preparation, the installation, finishing detail and completion of your project is the most important stage of all. This will be taken care of by one of our own teams of highly trained and experienced craftsmen. We have a very low turnover of staff, meaning that each member of our team understands our philosophy of delivering excellence. We have specialist teams responsible for installing our premium products like air so you know you're in safe hands every time.

After Sales Service

We have a dedicated After Sales Department running full time Service Engineers with a computerised record of every window and door that we have ever installed, dating back to 1984. This ensures we can identify, replace or repair any item.

The reason we are still going from strength to strength is that we look after our customers. More than 50% of our work comes from people recommending us or returning for additional work. We are also the highest rated window installer on the independent review site, Trustpilot.

We can promise you will be delighted with every aspect of the process and we look forward to being of service to you.



TRUSTPILOT

We pride ourselves on delivering exceptional service at all times to our customers. Trustpilot is an online community where our customers have the opportunity to review the service we provide. We consistently achieve an 'Excellent' rating.



CHAS

We have achieved, CHAS accreditation proving our dedication to setting the highest of standards for health and safety within the construction industry.



FENSA

Fensa provide certification to confirm that your windows and doors have been installed to the relevant building regulation controls. The self-certification scheme means that you do not have to arrange this with the local authority, this also ensures that minimum standards are met by the installation company.



ISO 9001

For the supply and installation of Conservatories, Windows, Doors, Roof Lanterns and Roofline products. Being frequently audited, we continue to achieve ISO9001 meaning that we have shown that we are focussed on exceeding customer expectations and delivering excellence EVERY time.



THE BRITISH STANDARDS INSTITUTION

We have achieved the unique BSi accreditation for the Quality Survey & Installation of Windows & Doors and are frequently audited, giving our customers peace of mind that they will receive the best service throughout the project.



THE GLASS AND GLAZING FEDERATION

We are proud long-standing members of the Glass & Glazing Federation (GGF), with strict qualifying criteria we are delighted to uphold the highest standards in the industry. As well as offering an array of benefits such as insurance backed guarantees and warranty underwriting for its members, the GGF guides and protects homeowners when buying glass or glazing products and service.